

# Civic Spaces Drinking Fountain B170.01



## DESIGN STATEMENT

The drinking fountain design integrates refill and water fountain with a wheelchair accessible design. The bright colour provides an attractive element to the street.

A selected product needs to include:

- A bubbler outstand for equal access (DDA)
- Spring release tap for drinking bottle refills
- A dog bowl which can be emptied
- A drainage outlet (either internal or using a grate to adjacent garden bed or storm water drainage)
- Be tamper-resistant.
- Watermark certified

## APPLICABLE LOCATION

As specified within activity centres and shopping strips

## COUNCIL STANDARD DRAWING

N/A

## CROSS REFERENCE DOCUMENT

- N/A

## STANDARD SPECIFICATION

**Type:** Apollo 280 from Urban Fountain and Furniture

**Finish:** Stainless steel basin and bright powder coated panel.

**Colour:** Colour selection to be confirmed with Council. Durable powder coating from Dulux DURATEC Intensity range, or similar.

**Dimension:** total height 900mm, clearance height 800mm, 191mm x 160mm base.

**Plumbing:** 1/2 water inlet, 40mm waste outlet pipe

**Installation:** In ground fixings with foundation cage.

**Drains:** In ground square drain should be located in front of the bowl, as per image.

Provide separate conduit from the water meter with a backflow and stop-off valve. Install unit in a 350-400mm excavated trench with identifying tape. Provide drainage outlet to adjacent garden bed, sump pit or stormwater drainage.

## SUPPLIER

Urban Fountains and Furniture or similar approved.

## MAINTENANCE

Periodically check that drinking fountain is working. Address any issues including removal of debris from bubbler or leaking. Ensure that drainage outlet is functioning correctly.

May 2020

## GENERAL NOTES

1. Refer to manufacturer's installation manual.



Moreland City Council

PARK

BRUNSWICK

COBURG


GLENROY

SSRP

---

# B170.01 Civic Spaces Drinking Fountain

---



Copyright: Urban Fountains and Furniture

May 2020